

Cardinal III Tile Waterproof Vinyl

Thickness: 7.5mm

Width: 12" / 7-1/4"*

SF/Box: 27.99 / 32.62*

Locking: Valinge

Pad Attached: Yes

Length: 24" / 48"*

Wear Layer: 20 mil

Finish: UV Cured

Core: WPC

Edge Detail: Eased Bevel


Installation: Float or Glue Down

Warranty: Lifetime Residential &
10 Year Commercial



A.R.C. Floors US

www.arcfloorsus.com




Orlando



Palm Beach



Saltwater*



Grandview*



Cardinal III Tile Waterproof Vinyl

Thickness: 8.5 mm , 5.2 mm*

Width: 12" , 6"

SF/Box: 17.44 , 19.70*

Locking: Valinge

Pad Attached: Yes

Length: 36" , 48"

Wear Layer: 30 mil , 20 mil*

Finish: UV Cured

Core: WPC

Edge Detail: Eased Bevel

Installation: Float or Glue Down

Warranty: Lifetime Residential &
10 Year Commercial



A.R.C. Floors US

www.arcfloorsus.com



Tombstone



Obelisk



Gem



Cobble*

Obelisk



Cardinal III Tile Waterproof Vinyl

Thickness: 6.5 mm , 6.0 mm*

Width: 12" , 12"*

SF/Box: 36.05 , 20.03*

Locking: Valinge

Pad Attached: Yes

Length: 24" , 24"*

Wear Layer: 12 mil , 20 mil*

Finish: UV Cured

Core: WPC

Edge Detail: Eased Bevel

Installation: Float or Glue Down

Warranty: Lifetime Residential &
10 Year Commercial



A.R.C. Floors US

www.arcfloorsus.com



*Powder**



*Sandblast**



Sandblast



Coastland

Coastland

